



**BAD BOY
TRACTORS**
WORK WITH AN *Attitude*





BAD BOY TRACTORS

WORK WITH AN *Attitude*

Our Bad Boy Tractors live up to the legacy we've created with our mowers. Each model features a commanding engine with the power you've come to know from our products. We've built a strong frame for handling impressive lifting capacities. From 22hp to 55hp with our larger models available in open station and cab configurations.

50 SERIES



BIGGER ON BUILDING SUCCESS



Our more powerful and larger 50 Series Models are available in hydrostatic or shuttle shift transmissions, and open station or closed cab configurations.

POWERFUL BUILD QUALITY



All steel construction from frame to hood ensures long-lasting strength and power delivered to whatever work you throw at them.

WE SOUND BETTER TOO



Our exclusive Alpine entertainment system provides premium quality sound and entertainment for long days on the job.

5055 MODELS (OPEN STATION OR CAB: HYDROSTATIC OR 16X16 SHUTTLE SHIFT)

55 HORSEPOWER

2,700 LBS. LOADER LIFT CAPACITY AT PINS

HYDRO MAX OR SHUTTLE SHIFT TRANSMISSION OPTION

OPTIONAL CLIMATE-CONTROLLED CAB WITH PREMIUM LEATHER
HEATED SEAT & ALPINE ENTERTAINMENT SYSTEM

4WD

POWER STEERING


EASY TO ADJUST PIN STYLE STABILIZER



COMFORT IS KING

Industry first premium
heated leather seat.

Features adjustable
arm rests and
suspension system.



50 SERIES



PICK YOUR TRANSMISSION



Your choice of Hydro Max or Shuttle Shift transmission for delivering the perfect power you need for your farm or property.

GET MORE DONE



The 5045 Series, with open station or climate-controlled cab, is powerful enough to get you on and off the job quicker.

PULL YOUR WEIGHT AT WORK



The 5045 mechanically injected and naturally aspirated engine pairs seamlessly with the robust and dependable design.

5045 MODELS (OPEN STATION OR CAB: HYDROSTATIC OR 16X16 SHUTTLE SHIFT)

48 HORSE POWER

2,700 LBS. LOADER LIFT CAPACITY AT PINS

HYDRO MAX OR SHUTTLE SHIFT TRANSMISSION OPTION

OPTIONAL CLIMATE-CONTROLLED CAB WITH PREMIUM LEATHER

HEATED SEAT & ALPINE ENTERTAINMENT SYSTEM

POWER STEERING

EASY TO ADJUST PIN STYLE STABILIZER

CRUISE CONTROL

4WD



40 SERIES



COMFORT IS KING



Cab Model Features easy-to-reach HVAC, sound system, front and rear overhead light controls and windshield wipers.

READY FOR LIFT OFF



Powerful hydraulics and easy to use controls handle just about anything you can move on your property.

VERSATILITY IS BUILT IN



Our skid steer compatible quick attach front loaders make switching between buckets, front forks or pallet forks fast and easy.

4035CH AND 4035H MODELS

35 HORSE POWER

2,200 LBS. LOADER LIFT CAPACITY AT PINS

METAL HOOD (CAB & OPEN STATION),
METAL FENDERS (OPEN STATION)

CAST IRON AXLES

OPTIONAL CLIMATE-CONTROLLED CAB

EASY TO ADJUST PIN STYLE STABILIZERS

CRUISE CONTROL

DUAL HST PEDALS

3 RANGE TRANSMISSION

POWER STEERING

SELECTABLE 4WD



40 SERIES



BEST FRAME IN THE GAME



Never back down from a challenge because this tractor is as tough as they come. It features the biggest frame in its class and cast iron axles.

BETTER RANGE



Three-range hydrostatic transmission gives you flexible drive options. Low or medium when you're doing the work, and high during transport.

POWERED UP



The 4025H has the same lifting capacity as the 4035H but due to the lower horsepower engine, eliminates the need for a Diesel Particulate Filter.

4025H MODEL

25 HORSEPOWER

2,200 LBS. LOADER LIFT CAPACITY AT PINS

HYDRO MAX TRANSMISSION

METAL HOOD & FENDERS

CAST IRON AXLES

DUAL HST PEDALS

3 RANGE TRANSMISSION

INDEPENDENT PTO

POWER STEERING

SELECTABLE 4WD

DIFFERENTIAL LOCK



30 SERIES



DARE TO COMPARE



Bad Boy's most popular model features a best in-class lifting capacity to handle any workload you can throw at it.

VERSATILE WORKHORSE



The perfect fit for every use. Small enough to get around in tight spaces and big enough to throw its weight around on large projects.

EXPAND YOUR RANGE



With our backhoe option, you can get more front to back versatility and performance for getting even more work done.

3026H MODEL

25 HORSEPOWER

1,314 LBS. LOADER LIFT CAPACITY AT PINS

HYDRO MAX TRANSMISSION

DUAL HST PEDALS

CAST IRON AXLES

REVERSE MOUNT ENGINE

3 RANGE TRANSMISSION

POWER STEERING

SELECTABLE 4WD

DIFFERENTIAL LOCK



10 SERIES



GET IT DECKED OUT



With optional drive-over 60" mower deck, you'll have more uses than ever around your home, farm or property.

DRIVING A BETTER VALUE



This 25 horsepower hydrostatic tractor is ready to outperform anything in its class at a price that's even tougher to beat.

PERFECT FIT FOR EVERY BODY



Easy to get around on and easier to get into places. Powerful and simple to operate, it's perfect for any size home or property.

1025H MODEL

25 HORSEPOWER

992 LBS. LOADER LIFT CAPACITY AT PINS

HYDRO MAX TRANSMISSION

DUAL HST PEDALS

2 RANGE TRANSMISSION

INDEPENDENT PTO

POWER STEERING

SELECTABLE 4WD

DIFFERENTIAL LOCK



10 SERIES



GET IT DECKED OUT



With optional drive-over 54" mower deck, you'll have more uses than ever around your home, farm or property.

EXTEND YOUR REACH



Our smallest tractors still pack a big punch. Small enough to go where bigger tractors can't. Backhoe option available.

GET RIGHT TO WORK



Our automatic hydrostatic transmission allows even the novice tractor user to feel comfortable behind the controls.

1022H MODEL

22 HORSEPOWER

617 LBS. LOADER LIFT CAPACITY AT PINS

HYDRO MAX TRANSMISSION

REVERSE MOUNT ENGINE

2 RANGE TRANSMISSION

INDEPENDENT PTO

POWER STEERING

SELECTABLE 4WD

DIFFERENTIAL LOCK





ENGINEERED BETTER



Designed to shed water and built-up clippings, our heavy gauge steel decks feature puncture resistant tail wheels.

SPREAD YOUR WINGS



Our newest 12' Flex Wing cutter cuts a new swath with its size, performance and value. Easy hydraulic connect for maximum performance.

A CUTTER FOR EVERY SIZE JOB



Cutters cut from our same legendary all-steel, formed and welded mower decks and available from 4' to our new 12' Flex-Wing.

Put your tractor to work with Bad Boy's 3-point hitch and front loader quick-attach implements. Built from heavy-gauge, welded and fabricated steel, they'll pull more than their weight on your property.

ROTARY CUTTERS


STANDARD DUTY IN 4', 5' AND 6'

HEAVY-DUTY IN 4', 5', 6', 7', AND 10'

NEW 12' FLEX-WING CUTTER



10' Heavy-Duty



7' Heavy-Duty



4', 5' and 6' Standard-Duty



4', 5' and 6' Heavy-Duty



BOX BLADES

48", 60", 72", 84"

LAND GRADER

60", 72", 84"

DISC HARROWS

48", 60", 72", 84"

ROTARY TILLERS

48", 60", 72", 84"

GROUND-BREAKING RESULTS



Our three-point hitch implements are built from heavy-gauge American-made steel for long-lasting performance.

BETTER GEARBOXES



Our Rotary tillers feature heavy-gauge, heavy-duty gearboxes that we back with a five-year limited warranty.


CUT OUT FOR TOUGH WORK



Our disc harrows and rotary tillers are built to stand up to the toughest dirt and hardest plots of land on your range.



BRUSH GRAPPLES
48", 70"
HAY FORKS
3PT REAR AND FRONT HAY FORKS
PALLET FORKS
STANDARD DUTY AND HEAVY DUTY: 47" WIDE
3PT TRAILER MOVER
GRADER BLADES
48", 60", 72", 84"
LANDSCAPE RAKES
48", 60", 72", 84"



TRACTOR SPECIFICATIONS

TRACTOR MODEL	5055 Cab	5055 Non-Cab	5045 Cab	5045 Non-Cab	4035CH Cab	4035H	4025H
ENGINE HP @ RPM	55	55	48	48	35	35	25
DISPLACEMENT (IN.)	139.5	139.5	139.5	139.5	104.5	104.5	104.5
FUEL TANK (GAL.)	11.8	11.8	11.8	11.8	7.1	7.1	7.1
DRIVE TRAIN							
TRANSMISSION	4 Range HST or 16x16 Shuttle Shift	4 Range HST or 16x16 Shuttle Shift	4 Range HST or 16x16 Shuttle Shift	4 Range HST or 16x16 Shuttle Shift	3 Range HST	3 Range HST	3 Range HST
BRAKES	Wet, Multi-Disc	Wet, Multi-Disc	Wet, Multi-Disc	Wet, Multi-Disc	Wet, Multi-Disc	Wet, Multi-Disc	Wet, Multi-Disc
PTO							
TYPE	Independent	Independent	Independent	Independent	Independent	Independent	Independent
MID PTO	N/A	N/A	N/A	N/A	Optional (not compatible with backhoe)	N/A	N/A
PTO HP	44	44	38.4	38.4	29.5	29.5	19.1
HYDRAULICS							
3-POINT HITCH	Cat I	Cat I	Cat I	Cat I	Cat I	Cat I	Cat I
REAR REMOTE VALVE	Standard Dual Rear	Optional Dual Rear	Standard Dual Rear	Optional Dual Rear	Optional (Up To 2)	Optional (Up To 2)	Optional (Up To 2)
3POINT HITCH LIFT CAPACITY (LBS.) @24" BEHIND LIFT POINT	2425	2425	2425	2425	2425	2425	2425
DIMENSIONS							
OVERALL LENGTH / WIDTH / HEIGHT (IN.)	127.4 / 64.9 / 97	127.4 / 64.9 / 98.4	127.4 / 64.9 / 98.4	127.4 / 64.9 / 98.4	120.9 / 55.6 / 104.06	120.9 / 56.7 / 104.06	120.9 / 56.7 / 104.06
MINIMUM GROUND CLEARANCE (IN.)	15.5	15.5	15.5	15.5	14.4	14.4	14.4
WEIGHT (LBS.)	4349	3836	4349	3831	3551	3164	2970
WHEELS & TIRES							
FRONT	12-16.5	10-16.5	12-16.5	10-16.5	28x8.50-15	28x8.50-15	25x8.50-14
REAR	16.9-24	470/70-24	16.9-24	470/70-24	43x16.00-20	43x16.00-20	15-19.5
FRONT END LOADER							
STANDARD BUCKET SIZE (IN.)	72	72	72	72	62	62	62
SHIPPING WEIGHT (LBS.)	1075	1075	1075	1075	1007	1007	1007
MAXIMUM LIFT HEIGHT (IN.)	106.6	106.6	106.6	106.6	104	104	104
LIFT CAPACITY AT PIVOT PINS	2700	2700	2700	2700	2200	2200	2200
BACKHOE (OPTIONAL)							
STANDARD BUCKET SIZE (IN.)	16	16	16	16	16	16	16
SHIPPING WEIGHT (LBS.)	1500	1500	1500	1500	1270	1270	1270
MAXIMUM DIG DEPTH (IN.)	103.2	103.2	103.2	103.2	92.2	92.2	92.2

TRACTOR MODEL

ENGINE HP @ RPM	25
DISPLACEMENT (IN.)	71.7
FUEL TANK (GAL.)	6

DRIVE TRAIN

TRANSMISSION	3 Range HST
--------------	-------------

BRAKES	Wet, Multi-Disc
--------	-----------------

PTO

TYPE	Live
------	------

MID PTO	Optional
---------	----------

PTO HP	18
--------	----

HYDRAULICS

3-POINT HITCH	Cat I
---------------	-------

REAR REMOTE VALVE	Optional (Up To 1)
-------------------	--------------------

3POINT HITCH LIFT CAPACITY (LBS.) @24" BEHIND LIFT POINT	974
---	-----

DIMENSIONS

OVERALL LENGTH / WIDTH / HEIGHT (IN.)	110 / 53.8 / 91.4
---------------------------------------	-------------------

MINIMUM GROUND CLEARANCE (IN.)	12.09
--------------------------------	-------

WEIGHT (LBS.)	2106
---------------	------

WHEELS & TIRES

FRONT	25x8.50-14
-------	------------

REAR	14x17.5
------	---------

FRONT END LOADER

STANDARD BUCKET SIZE (IN.)	54
----------------------------	----

SHIPPING WEIGHT (LBS.)	654
------------------------	-----

MAXIMUM LIFT HEIGHT (IN.)	86
---------------------------	----

LIFT CAPACITY AT PIVOT PINS	1314
-----------------------------	------

BACKHOE (OPTIONAL)

STANDARD BUCKET SIZE (IN.)	12
----------------------------	----

SHIPPING WEIGHT (LBS.)	827
------------------------	-----

MAXIMUM DIG DEPTH (IN.)	76
-------------------------	----

1025H

24.6

77.3

5.8

2 Range HST

Wet, Multi-Disc

Independent

Standard

18.8

Cat I

N/A

1101

104 / 45.8 / 91.3

9.4

1638

23x8.5-12

12-16.50

50

573

75.5

992

12

816

76

1022H

21.5

60.6

6.6

2 Range HST

Wet, Multi-Disc

Independent

Standard

15.4

Limited Cat I

N/A

679

94.2 / 44.5 / 86.6

8.3

1433

18x8.50-10

26x12-12

48

438


72.7

617

12

747

66



Check Out Financing Options Online Or See Your Dealer For More Details

Bad Boy Tractors has partnered with multiple financing institutions to provide fixed, straight and installment loans for purchases or leases of Bad Boy Tractors. See your dealer for more information on rates and terms.



WELCOME TO **BAD BOY** COUNTRY
— POWER. PERFORMANCE. **ATTITUDE.** —




BAD BOY
TRACTORS

www.badboycountry.com
102 Industrial Drive • Batesville, AR 72501 • 866-622-3269

2025    
@badboymowers